





PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: B01J 13/02, A61K 9/16, 9/50

A1

(11) International Publication Number:

WO 94/22572

10

(43) International Publication Date:

E201.20) E221 FEEDED EL

(21) International Application Number:

PCT/GB94/00667

(22) International Filing Date:

30 March 1994 (30.03.94)

(30) Priority Data:

9306700.7

31 March 1993 (31.03.93)

GB

(71) Applicant (for all designated States except US): BRITISH TEXTILE TECHNOLOGY GROUP [GB/GB]: Shirley Towers, 856 Wilmslow Road, Didsbury, Manchester M20 8RX (GB).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): SAGAR, Brian, Frederick [GB/GB]; The Cottage, 42 Moseley Road, Cheadle Hulme, Stockport, Cheshire SK8 5HJ (GB). SAGAR, Anthony, John, Grant [GB/GB]; 50 Valley Road, Bramhall, Stockport, Cheshire SK7 2NL (GB). GRAHAM, Samuel, Gordon [GB/GB]; 2 Akesmoor Drive, Mile End Lane, Stockport, Cheshire SK2 6BU (GB). WRAGG, Reginald, Trevor [GB/GB]; The Wickets, Church Road, Elford, Tamworth, Staffordshire B79 9DA (GB).
- (74) Agents: McNEIGHT, David, Leslie et al.; McNeight & Lawrence, Regent House, Heaton Lane, Stockport, Cheshire SK4 1BS (GB).

(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: METHOD OF ENCAPSULATING SUBSTANCES IN BIOCAPSULES

(57) Abstract

There is disclosed a method for encapsulating a substance in a biocapsule comprising passing a solution into the biocapsule, then effecting a change in the biocapsule/solution system such that the substance remains encapsulated while a solvent escapes.

ASULUCIU-MAU 043357381 I

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MIR	Mauritania
ΑŪ	Australia	(GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece .	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	Œ	Ireland	NZ	New Zealand
BJ	Benin	П	Italy '	PL	Poland
BR	Brazil	, lb	Japan	PT	Portugal
BY	Belarus	· KE	Keuya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia .
a	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
cs	Czechostovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Larvia	TJ	Tajikistan
DB	Germany	MC	Monaco ·	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spein	MG	Madagascar	US ·	United States of America
FT	Finland	MIL	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Vict Nam
~ .	Caban				•

- 1 -

METHOD OF ENCAPSULATING SUBSTANCES IN BIOCAPSULES.

This invention relates to methods for encapsulating substances.

It is known to encapsulate various substances in microcapsules which occur naturally or which can otherwise be referred to as biocapsules. US-A-4 696 863, GB-A-2 162 147 and EP-A-0 242 135 disclose bioencapsulation in such organisms as yeast cells (which may be used allive or dead), microfungi, bacteria and algae.

Difficulties are encountered when trying to encapsulate certain substances. GB-A-2 234 901 discloses a method for encapsulating water-insoluble substances which are, however, soluble in liquid ammonia, which is used as the carrier by which the substance is carried by diffusion into the cell.

It is now found that even some water soluble substances cannot effectively be encapsulated using an aqueous solution, because the substances pass out of the capsule as easily as they are passed in, and the present invention provides a generalised method which can be used with such and other difficult-to-encapsulat substances.

The invention comprises a method for encapsulating a substance in a biocapsule comprising passing a solution into the biocapsule, then effecting a change in the biocapsule/solution system such that the substance remains encapsulated while a solvent escapes.

The change may comprise a physical change, which may involve an increase in solution concentration, at least as a proportion of solution saturation level, within the capsule. It may involve a decrease in solubility of the substance in the solution within the capsule, as by cooling, and the substance may precipitate from a saturated solution within the capsule.

The solvent may however evaporate from the capsule, leaving behind the substance.

The solution may swell the biocapsule sufficiently to pass through the capsule wall to enter the capsule, and the change may then comprise a reversal of the capsule swelling sufficient to trap molecules of the substance but allow solvent molecules to pass out.

The change may comprise a chemical change. A first solution may be passed into the biocapsule, then a second solution passed into the biocapsule which reacts with the first solution to yield the substance in the biocapsule in such manner as to remain encapsulated.

The first and second solutions may comprise different solutes, or different solvents, or both.

Liquid ammonia, such as has been proposed for water-insoluble substances as noted above, is found now also to be useful for certain water-soluble substances which, however, cannot be encapsulated from aqueous solution for the reason stated above. It is especially suitable for use with some acids and in particular with amino acids.

Amino acids may be in the salt form, preferably the ammonium salt, and may be encapsulated alone or together with other ingredients, for example fish oils. In addition to increasing the nutritional value of such capsules, fish oils also protect the amino acids from leaching out of the capsules. For example, the amino acid histidine may be encapsulated as follows:-

Histidine (L-X-amino-B-imidazolepropionic acid) 5g,iss dissolved in liquid ammonia 150 g. Yeast 25 g, is added slowly with continuous stirring. After 5 minutes the mixture is poured into absolute ethanol 600 ml and the resultant mixture filtered and washed with absolute ethanol und r gentle suction. The filter cake is spread out and allowed to dry in air.

- 4 -

Analysis revealed approximately 12% w/w of histidine encapsulated by the yeast after this process was carried out.

Materials encapsulated in starch or yease.

Granules, for example, may be used as animal feeds, in particular for ruminant feeds where the capsule coating would protect its contents, ie. amino acids, during passage through the first stomach (rumen), where normally they would be destroyed, until they entered the second stomach (abomasum) where they may be absorbed intact.

In addition, such capsules may be used as feed for fish larvee, and the content of the capsules could be tastloned specifically for the particular needs of each stage of the growing larvae.

Many other substances may be encapsulated, for example:

Enzymes could be encapsulated to be put in or on materials needing some degree of digestion, for example, in washing powders;

Perfumes or optical brighteners may be encapsulated in spray starches;

Biocidal agents, for example insecticides, may be encapsulated and used in a dust form rather than the commonly used pellets, i.e. metaldehyde pellets for killing slugs, to prevent ingestion by other animals such as birds;

Plant fertilisers may be encapsulated, the rate of release being regulated by the type of capsule coating used;

Intumescent flame retardant, i.e. two or more different reactive compounds which produce an expanded flame retardant, may be encapsulated separately;

Oil may be encapsulated in carbohydrate capsules in a proportion such that addition of a fixed amount of water produces a pastry for baking, while other proportions may produce cake mixes and the like.

It will be appreciated that it is not intended to limit the invention to the above examples only, many variations, such as might readily occur to one skilled in the art, being possible, without departing from the scope thereof.

CLAIMS

- 1. A method for encapsulating a substance in a biocapsule comprising passing a solution into the biocapsule, then effecting a change in the biocapsule/solution system such that the substance remains encapsulated while a solvent escapes.
- 2. A method according to claim 1, in which the change comprises a physical change.
- 3. A method according to claim 2, in which the physical change involves an increase in solution concentration within the capsule.
- 4. A method according to claim 2, in which the physical change involves a decrease in solubility of the substance in the solution within the capsule.
- 5. A method according to claim 3 or claim 4, in which the substance precipitates from a saturated solution.
- 6. A method according to claim 2, in which the solvent evaporates from the capsule.

- 7. A method according to claim 2, in which the solution swells the bio-capsule and the physical change comprises a reversal of the swelling sufficient to trap molecules of the substance but allow solvent molecules to pass.
- 8. A method according to any one of claims 1 to 7, in which the substance is dissolved in liquid ammonia.
- 9. A method according to claim 8, in which the biocapsule/solution system warms to a temperature at which liquid ammonia evaporates.
- 10. A method according to claim 8 or claim 9, in which the substance is water-soluble but cannot in water solution be retained in the capsule.
- 11. A method according to claim 10, in which the substance comprises an acid.
- 12. A method according to claim 11, in which the substance comprises an amino acid.
- 13. A method according to claim 12, wherein the amino acid is histidine.

- 14. A method according to claim 1, in which the change comprises a chemical change.
- 15. A method according to claim 14, in which a first solution is passed into the biocapsule, then a second solution is passed into the biocapsule which reacts with the first solution to yield the substance in the biocapsule in such manner as to remain encapsulated.
- 16. A method according to claim 15, in which the first and second solutions comprise different solutes.
- 17. A method according to claim 15 or claim 16, in which the first and second solutions comprise different solvents.

INTERNATIONAL SEARCH REPORT

Intern. nal Application No

		<u>-</u>	PCI/GB 9	4/0066/
ÎPC 5	SSIFICATION OF SUBJECT MATTER B01J13/02 A61K9/16 A61	K9/50	-	
			•	•
Accorden	a to leterantical Paras Grade and Approximation		•	
	g to International Patent Classification (IPC) or to both nation DS SEARCHED	nal classification and IPC	· · · · ·	
	documentation searched (classification system followed by	dam.6	· · · · · · · · · · · · · · · · · · ·	
IPC 5	BOIJ A61K	azzilication symbols)		•
				•
Dogumen			<u> </u>	•
Document	tation searched other than minimum documentation to the ext	ent that such documents are in	cluded in the fields	searched
		•	•	*
Electronic	data base consulted during the international search (name of	data base and, where practical	, search terms used)	
•	· · · · · · · · · · · · · · · · · · ·			
				•
				• • •
C. DOCUI	MENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate,	of the relevant passages		Relevant to claim No.
.				THE COLUMN TWO.
X	GB,A,2 162 147 (DUNLOP) 29 Ja	inuary 1006		1 2 7
	cited in the application			1,2,7
	see claims 1,21,22	•.	,	
•				•
X	FR,A,2 179 528 (SEROZYM) 23 N see claims	lovember 1973		1-7
. ·				
(US,A,B498208 (SHANK) 13 April see claims	1976		1,2,7
`	EP,A,O 085 805 (DUNLOP) 17 Au cited in the application	gust 1983		
l				
١	GB,A,2 234 901 (BRITISH TEXTI	LE TECHNOLOGY		8,9
	GROUP) 20 February 1991		-	
	cited in the application	٠,		
	see claims		·]	
. 1			·	
i	·			
				·
Furth	ner documents are listed in the continuation of box C.	X Patent family n	nembers are listed in	annex.
Special cate	egories of cited documents :	T later dogument publi	lished after the income	
A" docume	nt defining the general state of the art which is not	T later document publi	not in conflict with	i the application hut
	red to be of particular relevance locument but published on or after the international	mvention	the principle or the	· ·
ming or	ate	"X" document of particu	liar relevance; the c ed novel or cannot b	aimed invention
which t	nt which may throw doubts on priority claim(s) or s cited to establish the publication date of another	involve an inventive	e step when the doc	ument is taken alone
augon	or other special reason (as specified) nt referring to an oral disclosure, use, exhibition or	Y document of particu	ed to involve an inv	entive step when the
outer m	cars	gocmuent is compit	ned with one or more action being obvious	e other such docu-
document later that	nt published prior to the international filing date but an the priority date claimed	in the art. "&"- document member o		·
te of the a	ctual completion of the international search	Date of mailing of the		
20	July 1994			•
			0 4. 08. 91	ł
ime and ma	ailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	Authorized officer		·
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Meertens	. J	

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int...ational Application No PCT/GB 94/00667

Patent document cited in search report	Publication date	Patent family member(s)		Publication date	
GB-A-2162147	29-01-86	NONE			
FR-A-2179528	23-11-73	NONE			
US-A-B498208	13-04-76	US-A- CA-A-	4001480 1060364	04-01-77 14-08-79	
EP-A-0085805	17-08-83	AU-A- JP-A-	9072582 58107189	26-05-83 25-06-83	
GB-A-2234901	20-02-91	NONE	***		